

## Technical Information

Number of Screens

1

Screen Size

60.5 cm (23.8")

Screen Mode

Full HD

Response Time

4 ms

Aspect Ratio

16:9

Horizontal Viewing Angle

178°

Vertical Viewing Angle

178°

Backlight Technology

LED

Panel Technology

Vertical Alignment (VA)

Features

Bluelight Shield

ComfyView

Flicker-free

Low Dimming

Tilt Angle

-5°to20°

Swivel Angle

No

Maximum Adjustable Height

No

Adjustable Display Pivot

No

## Video

Maximum Resolution

1920 x 1080

Standard Refresh Rate

60 Hz

Colour Support

16.7 Million Colours

Brightness

250 cd/m<sup>2</sup>

## Audio

Speakers

No

## Interfaces/Ports

DVI

Yes

HDMI

Yes

VGA

Yes

## Power Description

Energy Efficiency Class

B

Energy Consumption per Year

38 kWh

Input Voltage

120 V AC

230 V AC

Operating Power Consumption (EEL)

26 W

Operating Power Consumption (Energy Star)

21 W

Standby Power Consumption

500 mW

Off-Mode Power Consumption

350 mW

## Physical Characteristics

VESA Mount Compatible

No

VESA Mount Standard

100 x 100

Colour

Black

Height

422 mm

Width

540 mm

Depth

213 mm

Weight (Approximate)

3.60 kg

Weight with Stand (Approximate)

4.11 kg

## Miscellaneous

Package Contents

KA241Y Widescreen LCD Monitor

Power Cord

1 x VGA Cable

Environmental Certification

MPR II

## Warranty

Warranty

[Standard Warranty.](#)

